



Attorney Docket No. LUKP-08US
U.S. Patent Application No. 10/791,123
Reply to Office Action of September 21, 2005
Date: October 17, 2005

Amendments to the Drawings

The attached drawing sheets include amended Replacement drawings sheets nos. 1 and 2, which include original Figs. 1-4. Drawing sheets 1 and 2 have been amended by adding 1/3 and 2/3, respectively, to show the addition of the new drawing sheet previously submitted, and by placing the words "Replacement Sheet" at the top of each page per the Notice of Non-Compliant Amendment received September 21, 2005.

Attachment: Replacement Sheets

Attorney Docket No. LUKP:108US
U.S. Patent Application No. 10/791,123
Reply to Office Action of September 21, 2005
Date: October 17, 2005

Remarks

Objections to the Drawings

The Examiner objected to the Reply submitted on September 8, 2005 as failing to designate amended drawing sheets as "REPLACEMENT SHEETS". New drawing sheet 3/3 submitted in that Reply was labeled "NEW SHEET". Applicants thank the Examiner for pointing out this error.

In the Appendix following this Reply, Applicants have added Replacement sheets 1/3 and 2/3 correctly labeled "REPLACEMENT SHEETS". In addition, in the previous Reply, paragraph 0014 of the specification was amended to add a brief description of new Fig. 5 and paragraph 0018 was amended to refer to new Fig. 5 as depicting the pressure relief device integrated with a master cylinder. Support for new Fig. 5 is found in original paragraph 0018. Applicants respectfully request reconsideration and withdrawal of the objection to the drawings.

Attorney Docket No. LUKP:108US
U.S. Patent Application No. 10/791,123
Reply to Office Action of September 21, 2005
Date: October 17, 2005

Conclusion

Applicant respectfully submits that the present application is now in condition for allowance, which action is courteously requested. The Examiner is invited and encouraged to contact the undersigned attorney of record if such contact will facilitate an efficient examination and allowance of the application.

Respectfully yours,



C. Richard Lohrman
Registration No. 46,878
ATTORNEY FOR APPLICANT
Simpson & Simpson PLLC
5555 Main Street
Williamsville, NY 14221
Phone: (716) 626-1564
Fax: (716) 626-0366

Dated: October 17, 2005

CRL/MJK

Attorney Docket No. LUKP:108US
U.S. Patent Application No. 10/791,123
Reply to Office Action of September 21, 2005
Date: October 17, 2005

Appendix